

Set Name Query
side by side**Hit Count Set Name**
result set*DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ*

<u>L21</u>	L12 and ((XML adj tag\$1) or tag\$1)	7	<u>L21</u>
<u>L20</u>	L19 and (XSL adj file\$1)	0	<u>L20</u>
<u>L19</u>	L18 and (XML same XSL)	12	<u>L19</u>
<u>L18</u>	L17 and ((XML adj namespace\$1) or (name adj space\$1) or namespace\$1)	75	<u>L18</u>
<u>L17</u>	((workflow adj server\$1) or server\$1) and ((XML adj3 engine\$1) or XML)	779	<u>L17</u>
<u>L16</u>	L15 and ((XML adj namespace\$1) or (name adj space\$1) or namespace\$1)	0	<u>L16</u>
<u>L15</u>	l14 and l2	1	<u>L15</u>
<u>L14</u>	6589291.pn.	1	<u>L14</u>
<u>L13</u>	L12 and ((XML adj namespace\$1) or (name adj space\$1) or namespace\$1)	3	<u>L13</u>
<u>L12</u>	L11 and (command\$1 same XML)	10	<u>L12</u>
<u>L11</u>	XML same XSL	52	<u>L11</u>
<u>L10</u>	L9 and XSL	2	<u>L10</u>
<u>L9</u>	l2 and (namespace\$1)	3	<u>L9</u>
<u>L8</u>	(XML adj namespace\$1) and (XSL)	0	<u>L8</u>
<u>L7</u>	(XML near3 engine\$1) and (XML adj namespace\$1)	0	<u>L7</u>
<u>L6</u>	(workflow adj server\$1) and XML	1	<u>L6</u>
<u>L5</u>	(XML adj3 interface\$1).ab.	0	<u>L5</u>
<u>L4</u>	(XML adj3 interface\$1) same server\$1	8	<u>L4</u>
<u>L3</u>	L2 and (XML near10 server\$1).ab.	1	<u>L3</u>
<u>L2</u>	L1 and (XML near10 server\$1)	28	<u>L2</u>
<u>L1</u>	((715/513 715/514 715/515 715/516 715/517 715/518 715/519 715/520 715/521 715/522 715/523 715/524 715/525 715/526 715/527 715/528 715/529 715/530 715/531 715/532 715/533 715/534 715/535 715/536 715/537 715/538 715/539 715/540 715/541 715/542)!.CCLS.)	2924	<u>L1</u>

END OF SEARCH HISTORY